

Link do produktu: <https://sklep.akcesoria-cnc.pl/przekladnia-planetarna-px110n003-i3-p-419.html>

Przekładnia planetarna PX110N003 i=3

Cena brutto	629,00 zł
Cena netto	511,38 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Kod producenta	PX110
Kod producenta	PX86
Model	PX86N052

Opis produktu

Przekładnia planetarna PX110N003
NEMA43 110mm

Do silników krokowych, bez-szczotkowych, BLDC, prądu stałego DC

Można zastosować do każdego silnika o kołnierzu o rozmiarach 110x110mm i średnicy osi 16mm

parametry

- maksymalny przenoszony moment obrotowy to 100Nm
- ciągły moment obrotowy 70Nm
- sprawność przekładni 90%
- przełożenie 3:1
- wymiary 110x110x102mm
- wał fi 22mm
- wał długość 52mm
- waga 5,2kg
- luz kątowy ≤20 Arcmin
- IP - 65
- głośność 65db
- znamionowe obroty wejściowe - 3000rpm

W zestawie:

- przekładnia
- zestaw śrub mocujących do silnika



MAIN TECHNICAL SPECIFICATION

Stage	Stage 1	Stage 2	Stage 3
Gear Ratio	3/4/5/6	10/12/16/20/24/30/36	64/96/144/216
Length(MM)	102	127	152
Rated load (N.M)	70	140	160
Maximum load (N.M)	100	170	180
Full load efficiency(%)	90	86	80
Return Gap(Arcmin)	≤20	≤30	≤45
Rated input speed(RPM)	3000	≤3000	≤3000
Level of protection(IP)	65	65	65
Weight(KG)	5.2	6.5	7.8
Noise(DB)	≤60	≤60	≤60
Service life(H)	≈20000	≈20000	≈20000
Lubrication	Grease(Long term lu brication)	Grease(Long term lubrication)	Grease(Long term lubrication)
Method of installation	Flange	Flange	Flange

Wymiary

PX110 Stepper Series

DIMENSION (mm)

