Dane aktualne na dzień: 07-11-2026 10:09

Link do produktu: https://sklep.akcesoria-cnc.pl/przekladnia-planetarna-px110n003-i3-p-419.html

Przekładnia planetarna PX110N003 i=3

Cena brutto	**629,00 zł**
Cena netto	**511,38 zł**
Dostępność	**Dostępny**
Czas wysyłki	**24 godziny**
Kod producenta	**PX110**
Kod producenta	**PX86**
Model	**PX86N052**

Opis produktu

Przekładnia planetarna PX110N003
NEMA43 110mm

Do silników krokowych, bez-szczotkowych, BLDC, prądu stałego DC

Można zastosować do każdego silnika o kołnierzu o rozmiarach 110x110mm i średnicy osi 16mm

parametry

- maksymalny przenoszony moment obrotowy to 100Nm
- ciągły moment obrotowy 70Nm
- sprawność przekładni 90%
- przełożenie 3:1
- wymiary 110x110x102mm
- wał fi 22mm
- wał długość 52mm
- waga 5,2kg
- luz kątowy ≤20 Arcmin
- IP - 65
- głośność 65db
- znamionowe obroty wejściowe - 3000rpm

W zestawie:

- przekładnia
- zestaw śrub mocujących do silnika



MAIN TECHNICAL SPECIFICATION

Stage	Stage 1	Stage 2	Stage 3
Gear Ratio	3/4/5/6	10/12/16/20/24/30/36	64/96/144/216
Length(MM)	102	127	152
Rated load (N.M)	70	140	160
Maximum load (N.M)	100	170	180
Full load efficiency(%)	90	86	80
Return Gap(Arcmin)	≤20	≤30	≤45
Rated input speed(RPM)	3000	≤3000	≤3000
Level of protection(IP)	65	65	65
Weight(KG)	5.2	6.5	7.8
Noise(DB)	≤60	≤60	≤60
Service life(H)	≈20000	≈20000	≈20000
Lubrication	Grease(Long term lu brication)	Grease(Long term lubrication)	Grease(Long term lubrication)
Method of installation	Flange	Flange	Flange

Wymiary

PX110 Stepper Series

DIMENSION (mm)

