

Link do produktu: <https://sklep.akcesoria-cnc.pl/sterownik-silnika-krokowego-mr7a-24-110v-dc-72a-p-6.html>



## Sterownik silnika krokowego MR7A 24-110V DC 7.2A

Cena brutto	<b>290,00 zł</b>
Cena netto	<b>235,77 zł</b>
Dostępność	<b>Dostępny</b>
Czas wysyłki	<b>24 godziny</b>
Kod producenta	<b>MR7A</b>
Waga produktu z opakowaniem jednostkowym	<b>1 kg</b>
Producent	<b>IRELIA</b>
Rodzaj	<b>sterownik CNC</b>

### Opis produktu

profesjonalny i niezawodny


Sterownik silnika krokowego

zasilanie:

prądem zmiennym AC 18-80V

oraz stałym DC 24-110V

- prądem stałym 24V-110V
- Prąd wyjściowy 2.4-7.2A (Prąd szczytowy)
- częstotliwość wejściowa 200kHz
- ustawienie podziału 200-25600 krok/r
- redukcja prądu o 50% kiedy silnik jest zatrzymany
- Obsługuje tryb sterowania impulsem/kierunkiem i może odbierać polecenia sygnału różnicowego i pojedynczego
- Nadaje się do sterowania silnikami krokowymi dwu fazowymi 56mm, 60mm, oraz 86mm
- zabezpieczenie nad prądowe i przed zbyt wysokim napięciem



parametry

Parameter	Min.	Typical	Max.	Unit
Power supply	18	70	80	VAC
Output Current	2.4	-	7.2	A
Step Frequency	1	-	200K	Hz
Step pulse width	250	-	5E+8	ns
Input Signal Voltage	3.3	5	24	VDC

### Environment Indicators

Heat Sinking Method	Natural cooling or fan-forced cooling
Atmosphere	Avoid dust, oily mist and corrosive air
Operating Temperature	0~40°C
Ambient Humidity	90% or less (non-condensing)
Storage Temperature	-10~70°C
Heat Sinking Method	5.9m/s <sup>2</sup> maximum

